

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S4	113	S3 and "318"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 09:02
S1	418	(ac (alternat\$4 adj current)) and inverter and (converter rectifier) and (bypass\$4 disconnect\$4) and ((auxilliary second\$4) adj power) and (user keypad keyboard)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 09:02
S2	31	S1 and "318"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 09:12
S5	1	S1 and "318"/\$ and modular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 09:13
S6	47	S1 and modular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 09:21
S8	5	"6385069" or "6388907"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:55
S7	5	"6385069" or "6388907"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:55
S9	17	(ac (a\$1 adj c) (alternat\$4 adj current)) and inverter and (converter rectifier) and (bypass\$4 disconnect\$4) and ((auxilliary second\$4 redundant) adj power) and modular.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 12:10
S10	21	(ac (a\$1 adj c) (alternat\$4 adj current)) and inverter and (converter rectifier) and (bypass\$4 disconnect\$4) and ((auxilliary second\$4 redundant) adj power) and (modular.ab. modular.clm.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 12:15
S11	3	"318"/\$ and (ac (a\$1 adj c) (alternat\$4 adj current)) and inverter and (converter rectifier) and (bypass\$4 disconnect\$4) and ((auxilliary second\$4 redundant) adj power) and modular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 12:17
S12	15	"318"/\$ and (ac (a\$1 adj c) (alternat\$4 adj current)) and inverter and (converter rectifier) and ((auxilliary second\$4 redundant) adj power) and modular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 12:37
S13	160	(ac (a\$1 adj c) (alternat\$4 adj current)) and inverter and (converter rectifier) and ((auxilliary second\$4 redundant) adj power) and modular	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 12:44
S16	47	(ac (a\$1 adj c) (alternat\$4 adj current)) and inverter and (converter rectifier) and (inverter near4 hous\$4) and ((converter rectifier) near4 hous\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 13:16

EAST Search History

S19	320	S18 not (S13 S16)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 13:21
S18	377	(ac (a\$1 adj c) (alternat\$4 adj current)) and inverter and (converter rectifier) and (inverter near9 (modul\$4 hous\$4)) and ((converter rectifier) near9 (modul\$4 hous\$4)) and ((controller processor microprocessor) near9 (hous\$4 modul\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 14:58
S20	6	361/716 and (ac (a\$1 adj c) (alternat\$4 adj current)) and inverter and (converter rectifier) and ((controller processor microprocessor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 15:05
S21	7	361/729 and (ac (a\$1 adj c) (alternat\$4 adj current)) and inverter and (converter rectifier) and ((controller processor microprocessor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 15:08
S22	4	361/730 and (ac (a\$1 adj c) (alternat\$4 adj current)) and inverter and (converter rectifier) and ((controller processor microprocessor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 15:10
S23	12	361/728 and (ac (a\$1 adj c) (alternat\$4 adj current)) and inverter and (converter rectifier) and ((controller processor microprocessor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 15:13
S24	15	((361/714) (361/715)) and (ac (a\$1 adj c) (alternat\$4 adj current)) and inverter and (converter rectifier) and ((controller processor microprocessor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 15:29
S25	23	((361/714) (361/715)) and (ac (a\$1 adj c) (alternat\$4 adj current)) and inverter and (converter rectifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 15:31
S26	151	"439"/\$ and (ac (a\$1 adj c) (alternat\$4 adj current)) and inverter and (converter rectifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 15:33
S3	903	(ac (alternat\$4 adj current)) and inverter and (converter rectifier) and (bypass\$4 disconnect\$4) and ((auxilliary second\$4) adj power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 15:34
S28	449	"318"/\$ and (ac (alternat\$4 adj current)) and inverter and (converter rectifier) and (bypass\$4 disconnect\$4) and (intermediate link (dc\$1 adj link)) and control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 15:36
S29	354	"318"/\$ and (ac (alternat\$4 adj current)) and inverter and (converter rectifier) and (bypass\$4 disconnect\$4) and (intermediate link (dc\$1 adj link)) and control\$4 and (fail\$4 malfunction\$4 (fail\$1 adj safe) error\$4 fault\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 15:37
S30	260	"318"/\$ and (ac (alternat\$4 adj current)) and inverter and (converter rectifier) and (bypass\$4 disconnect\$4) and (intermediate link (dc\$1 adj link)) and control\$4 and (fail\$4 malfunction\$4 (fail\$1 adj safe) error\$4 fault\$4) and (hous\$4 modul\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 15:39

EAST Search History

S31	141	"318"/\$ and (ac (alternat\$4 adj current)) and inverter and (converter rectifier) and (bypass\$4 disconnect\$4) and (intermediate link (dc\$1 adj link)) and control\$4 and (fail\$4 malfunction\$4 (fail\$1 adj safe) error\$4 fault\$4) and (hous\$4 modul\$4) and (battery (auxiliary adj power) (second\$4 adj power))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 08:16
S35	29	S33 not S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 08:17
S34	141	"318"/\$ and (ac (alternat\$4 adj current)) and inverter and (converter rectifier) and (bypass\$4 disconnect\$4) and (intermediate link (dc\$1 adj link)) and control\$4 and (fail\$4 malfunction\$4 (fail\$1 adj safe) error\$4 fault\$4) and (hous\$4 modul\$4) and (battery (auxiliary adj power) (second\$4 adj power))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 08:17
S33	170	"318"/\$ and (ac (alternat\$4 adj current)) and inverter and (converter rectifier) and (bypass\$4 disconnect\$4 fuse relay) and (intermediate link (dc\$1 adj link)) and control\$4 and (fail\$4 malfunction\$4 (fail\$1 adj safe) error\$4 fault\$4) and (hous\$4 modul\$4) and (battery (auxiliary adj power) (second\$4 adj power))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 08:42
S37	209	(ac (alternat\$4 adj current)) and inverter and (converter rectifier) and (bypass\$4 disconnect\$4 fuse relay) and (intermediate link (dc\$1 adj link)) and control\$4 and (fail\$4 malfunction\$4 (fail\$1 adj safe) error\$4 fault\$4) and (hous\$4 modul\$4) and (battery (auxiliary adj power) (second\$4 adj power)) and (display\$4) and (keypad\$4 programable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 08:43
S36	12	"318"/\$ and (ac (alternat\$4 adj current)) and inverter and (converter rectifier) and (bypass\$4 disconnect\$4 fuse relay) and (intermediate link (dc\$1 adj link)) and control\$4 and (fail\$4 malfunction\$4 (fail\$1 adj safe) error\$4 fault\$4) and (hous\$4 modul\$4) and (battery (auxiliary adj power) (second\$4 adj power)) and (display\$4) and (keypad\$4 programable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 08:43
S38	13	"318"/\$ and (ac (alternat\$4 adj current)) and inverter and (converter rectifier) and (bypass\$4 disconnect\$4 fuse relay breaker contactor) and (intermediate link (dc\$1 adj link)) and control\$4 and (fail\$4 malfunction\$4 (fail\$1 adj safe) error\$4 fault\$4) and (hous\$4 modul\$4) and (battery (auxiliary adj power) (second\$4 adj power)) and (display\$4) and (keypad\$4 programable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 08:44
S39	17	"318"/\$ and (ac (alternat\$4 adj current)) and (inverter bridge) and (converter rectifier) and (bypass\$4 disconnect\$4 fuse relay breaker contactor) and (intermediate link (dc\$1 adj link)) and control\$4 and (fail\$4 malfunction\$4 (fail\$1 adj safe) error\$4 fault\$4) and (hous\$4 modul\$4) and (battery (auxiliary adj power) (second\$4 adj power)) and (display\$4) and (keypad\$4 programable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 08:45
S40	17	"318"/\$ and (ac (alternat\$4 adj current)) and (inverter bridge (half\$1 adj bridge) (h\$1 adj bridge)) and (converter rectifier) and (bypass\$4 disconnect\$4 fuse relay breaker contactor) and (intermediate link (dc\$1 adj link)) and control\$4 and (fail\$4 malfunction\$4 (fail\$1 adj safe) error\$4 fault\$4) and (hous\$4 modul\$4) and (battery (auxiliary adj power) (second\$4 adj power)) and (display\$4) and (keypad\$4 programable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 08:48
S42	14	S41 not S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 08:49
S41	31	"318"/\$ and (ac (alternat\$4 adj current)) and (inverter bridge (half\$1 adj bridge) (h\$1 adj bridge) driver) and (converter rectifier) and (bypass\$4 disconnect\$4 fuse relay breaker contactor) and (intermediate link (dc\$1 adj link)) and control\$4 and (fail\$4 malfunction\$4 (fail\$1 adj safe) error\$4 fault\$4) and (hous\$4 modul\$4) and (battery (auxiliary adj power) (second\$4 adj power)) and (display\$4) and (keypad\$4 programable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 08:51

EAST Search History

S45	169	S43 not S41 or S40 or S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 08:52
S44	67	S43 not S41 or S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 08:52
S43	81	"318"/\$ and (ac (alternat\$4 adj current)) and (inverter bridge (half\$1 adj bridge) (h\$1 adj bridge) driver) and (converter rectifier) and (bypass\$4 disconnect\$4 fuse relay breaker contactor) and (intermediate link (dc\$1 adj link)) and control\$4 and (fail\$4 malfunction\$4 (fail\$1 adj safe) error\$4 fault\$4) and (hous\$4 modul\$4) and (battery (auxiliary adj power) (second\$4 adj power)) and (display\$4) and (keypad\$4 keyboard key\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 09:22
S46	18	S43 not (S41 S40 S34 S33)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 09:27
S51	234	(ac (alternat\$4 adj current)) and (inverter) and (converter rectifier) and (bypass\$4 disconnect\$4) and (intermediate link (dc\$1 adj link)) and control\$4 and (fail\$4 malfunction\$4 (fail\$1 adj safe) fault\$4) and (hous\$4 modul\$4) and (battery (auxiliary adj power) (second\$4 adj power)) and (display\$4) and (keypad\$4 keyboard) and motor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 09:28
S49	237	(ac (alternat\$4 adj current)) and (inverter (half\$1 adj bridge) (h\$1 adj bridge)) and (converter rectifier) and (bypass\$4 disconnect\$4) and (intermediate link (dc\$1 adj link)) and control\$4 and (fail\$4 malfunction\$4 (fail\$1 adj safe) fault\$4) and (hous\$4 modul\$4) and (battery (auxiliary adj power) (second\$4 adj power)) and (display\$4) and (keypad\$4 keyboard) and motor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 09:28
S53	140	S52 not (S43 S41 S40 S34 S33)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 09:30
S50	215	S49 not (S43 S41 S40 S34 S33)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 09:30
S54	63	(US-20050105306-\$ or US-20040160214-\$ or US-20010033502-\$ or US-20050168073-\$ or US-20050162019-\$ or US-20040160216-\$ or US-20040041404-\$ or US-20020183178-\$ or US-20030036806-\$).did. or (US-6812586-\$ or US-6683389-\$ or US-6940735-\$ or US-5764502-\$ or US-4860185-\$ or US-5694312-\$ or US-5412529-\$ or US-6885920-\$ or US-6703719-\$ or US-6700351-\$ or US-5901057-\$ or US-5578112-\$ or US-6865077-\$ or US-6704202-\$ or US-6292363-\$ or US-7012394-\$ or US-6989610-\$ or US-6956301-\$ or US-6856038-\$ or US-6847129-\$ or US-6774608-\$ or US-6707169-\$ or US-6556461-\$ or US-6554088-\$ or US-6483730-\$ or US-6452349-\$).did. or (US-6411065-\$ or US-6329778-\$ or US-6314007-\$ or US-6128204-\$ or US-6031737-\$ or US-5818188-\$ or US-5798622-\$ or US-5642270-\$ or US-5594322-\$ or US-5519275-\$ or US-5355024-\$ or US-4962354-\$ or US-4488101-\$ or US-4319298-\$ or US-6819012-\$ or US-6555929-\$ or US-6204627-\$ or US-5771511-\$ or US-5587641-\$ or US-5583751-\$ or US-4338553-\$ or US-6605928-\$ or US-6720745-\$ or US-5187472-\$ or US-4891764-\$).did. or (US-20060001396-\$ or DE-19524005-\$ or EP-185773-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2006/07/22 09:32

EAST Search History

S52	159	(ac (alternat\$4 adj current)) and (inverter) and ((converter near2 ac) rectifier) and (bypass\$4 disconnect\$4) and (intermediate link (dc\$1 adj link)) and control\$4 and (fail\$4 malfunction\$4 (fail\$1 adj safe) fault\$4) and (hous\$4 modul\$4) and (battery (auxiliary adj power) (second\$4 adj power)) and (display\$4) and (keypad\$4 keyboard) and motor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 09:32
S56	9	S54 and (bypass\$4 disconnect\$4) and (fail\$4 malfunction\$4 (fail\$1 adj safe) fault\$4) and (battery (auxiliary adj power) (second\$4 adj power)) and (display\$4) and (keypad\$4 keyboard)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 09:49
S57	44	S54 and (bypass\$4 disconnect\$4) and (fail\$4 malfunction\$4 (fail\$1 adj safe) fault\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 09:53
S58	18	S54 and ((bypass\$4 disconnect\$4) same (fail\$4 malfunction\$4 (fail\$1 adj safe) fault\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 10:24
S60	53	S59 and "318"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 10:32
S59	133	((hous\$4 modul\$4) near4 (inverter)) and ((hous\$4 modul\$4) near4 (control\$4 processor microprocessor)) and (ac (a\$1 adj c\$1) (alternat\$4 adj current)) and ((rectifier convert\$4 redundant) near2 (power supply)) and (bypass\$4 disconnect\$4) and motor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 10:33
S61	42	((hous\$4 modul\$4) near4 (inverter)) and ((hous\$4 modul\$4) near4 (control\$4 processor microprocessor)) and (ac (a\$1 adj c\$1) (alternat\$4 adj current)) and ((rectifier convert\$4 redundant) near2 (power supply)) and (bypass\$4 disconnect\$4) and motor and ((bypass\$4 disconnect\$4) same (fail\$4 malfunction\$4 (fail\$1 adj safe) fault\$4 error overvoltage overcurrent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 10:50
S62	2	("4513898").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/22 10:51
S63	5	("2003/0036806").URPN.	USPAT	OR	ON	2006/07/22 12:48
S64	4	"6738692"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 12:49
S66	1	"20050189889"	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/22 14:57
S75	1	"20050189889" and (power adj module) and (interface adj module) and (power adj supply adj unit) and (control adj structure) and (intermediate adj module) and intermediate and (power adj source) and (power adj2 unit) and redundant and (control adj circuit) and disconnect and (control adj module) and (control adj structure)	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/22 15:34
S65	23	("3491282" "3628123" "3648149" "3792286" "4032832" "4366532" "4628438" "4800481" "5041957" "5132892" "5229652" "5373433" "5631820" "5896281" "5933339" "6096449" "6184593" "6188199" "6243277" "6255008" "6377874" "6522955").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/22 16:01
S77	2101	"318"/\$ and (motor near4 generator) and (ac)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 18:45

EAST Search History

S76	3493	"318"/\$ and (motor same generator) and (ac)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 18:45
S78	46	"318"/\$ and (motor near4 generator) and (ac) and inverter and rectifier and bypass and controller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 18:46
S80	126	"318"/\$ and (motor near4 generator) and (ac) and inverter and rectifier and (rotat\$4 near4 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 18:48
S79	10	"318"/\$ and (motor near4 generator) and (ac) and inverter and rectifier and bypass and controller and (rotat\$4 near4 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 18:48
S81	63	(US-20050105306-\$ or US-20040160214-\$ or US-20010033502-\$ or US-20050168073-\$ or US-20050162019-\$ or US-20040160216-\$ or US-20040041404-\$ or US-20020183178-\$ or US-20030036806-\$).did. or (US-6812586-\$ or US-6683389-\$ or US-6940735-\$ or US-5764502-\$ or US-4860185-\$ or US-5694312-\$ or US-5412529-\$ or US-6885920-\$ or US-6703719-\$ or US-6700351-\$ or US-5901057-\$ or US-5578112-\$ or US-6865077-\$ or US-6704202-\$ or US-6292363-\$ or US-7012394-\$ or US-6989610-\$ or US-6956301-\$ or US-6856038-\$ or US-6847129-\$ or US-6774608-\$ or US-6707169-\$ or US-6556461-\$ or US-6554088-\$ or US-6483730-\$ or US-6452349-\$).did. or (US-6411065-\$ or US-6329778-\$ or US-6314007-\$ or US-6128204-\$ or US-6031737-\$ or US-5818188-\$ or US-5798622-\$ or US-5642270-\$ or US-5594322-\$ or US-5519275-\$ or US-5355024-\$ or US-4962354-\$ or US-4488101-\$ or US-4319298-\$ or US-6819012-\$ or US-6555929-\$ or US-6204627-\$ or US-5771511-\$ or US-5587641-\$ or US-5583751-\$ or US-4338553-\$ or US-6605928-\$ or US-6720745-\$ or US-5187472-\$ or US-4891764-\$).did. or (US-20060001396-\$ or DE-19524005-\$ or EP-185773-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2006/07/22 18:49
S83	9	S81 and (keyboard or keypad) and motor and (generator or alternator or turbine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 18:57
S82	13	S81 and (keyboard or keypad)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 18:57